Artículo

Renato Banzai · 1 jun, 2020 Lectura de 4 min

Open Exchange

# IRIS Python Suite - A Hitchhiker's guide to the ^Global - 1

## Making a Chart using Intersystems IRIS + Python

How to use the IRIS Native API in Python to access globals and plot some charts.

### Why Python?

With a large adoption and use in the world, Python have a great community and a lot of accelerators | libraries to deploy any kind of application.

If you are curious (https://www.python.org/about/apps/)

### Why COVID-19 Data


As the pandemy evolves in the world a lot of information are being spreaded so I decided to create an application to audit those information.

Unfortunately each country has a different test policy so I decided to use the death data to avoid the cases subnotifications.

### Chart options:

- Linear: Using linear y axis
- Log: Using a logathmic y axis as the infection grows exponentially
- Days after the first death: Align all 1st deaths country in the same time series
- Real Timeline: With the real date of each report
- Rate: Consider the population of the country
- Total Deaths: Consider just the number of deaths

### The Chart Application



Demo - Try it yourself

I have deployed the application as a demo here: (http://iris-python-suite.eastus.cloudapp.azure.com/covid19-chart)

### Take a look the code

Clone my repository to see all the code implementation.

git clone https://github.com/renatobanzai/iris-python-covid19.git

### What did I use in Python

In this application environment I use Python 3.7 with these modules.

- PyYAML==5.3.1
- dash==1.12.0
- plotly==4.7.1
- irisnative-1.0.0-cp34-abi3-linuxx8664.whl

### **Project Structure**

This project has a simple structure to be easy to understand. On the main folder we have 3 most important subfolders:

- ./app: with all the application code and installing configuration.
- ./iris: with the InterSystems IRIS dockerfile preparing to serve the application.
- ./data: with the files from Johns Hopkins University to ingest and a YAML to change configuration outside the container environment by a volume

### **Application Structure**

Now inside the ./app directory we can see some files:

- main\_py : with the implementation of the web application
- iriscovid19.py: a class performing all data interaction

#### **Database Structure**

This application uses Intersystems IRIS as a repository, the globals used are:

- -^config : with some config data
- -^raw.covid19: where the raw data (Source of Data) are ingested
- -^countrydetails : to get the population of each country
- -^end.date.deaths: to serve the chart requisitions and here is the goal, Its fast!
- -^end.timeless.deaths : to server another kind of chart requisition

### What the python code does?

The python get the csv files from ../data folder and ingest into the globals ^raw.covid19, ^countrydetails. After this perform a data prep using the globals and generating a ready to use data to plot the charts. After this a web app goes

up to you interact with the graph as you desire.

### How to perform joins between globals?

The paradigm in this case is quite different from the SQL Patterns. To perform joins, I ingested the data in a format that can be used as a index to merge the globals. e.g:

#{countryindex} is only an example

```
^raw.covid19("countries","{country_index}","deaths")
^countrydetails("{country_index}","population")
```

If for some reason you need to use the population of a country its prepared to get with one .get() method.

### Running the application by yourself

### Prerequisites

- ait
- · docker and docker-compose
- acess to a terminal in your environment

### Steps

With docker-compose you can easily up one environment with all the pieces and configurations go to the iris-python-covid19

folder and type this:

```
$ docker compose up
```

#### Estimated time to up containers

1st time running will depend of your internet link to download the images and dependencies. If it last more than 15 minutes probably something goes wrong feel free to communicate here.

After the 1st time running the next ones will perform better and take less then 2 minutes.

### If is everything ok

After a while you can open your browser and go to the address:

http://localhost:8050

#### Main Menu

The project has a main menu that points you to the functionalities:

- COVID-19 Chart Example "/covid19-chart": A interactive chart using globals + Python
- Global CRUD Example "/config-CRUD": A demonstration of a Globals CRUD
- Reset Data (Dont Panic!) "/reset-data": If you want to re-perform the start-up applications process

#### You should look at IRIS Admin Portal

I'm using for now the USER namespace

http://localhost:9092

user: \_SYSTEM

pass: theansweris42

#### Demo

I deployed this application on

(http://iris-python-suite.eastus.cloudapp.azure.com/covid19-chart)http://iris-python-suite.eastus.cloudapp.azure.com/covid19-chart

### If this article help you or you like the content vote:

This application is at the current contest on open exchange, you can vote in my application iris-python-suite here(<a href="https://openexchange.intersystems.com/contest/current">https://openexchange.intersystems.com/contest/current</a>)

#Analítica #Azure #Principiante #Docker #Python #API REST #InterSystems IRIS Ir a la aplicación en InterSystems Open Exchange

URL de fuente: https://es.community.intersystems.com/node/477491