

Pregunta

[Jose Giraldo](#) · Sep 22, 2020

HTTPMessage Valor vacío en Stream

Tengo una **operación** con la **clase EnsLib.HTTP.GenericOperation** . Esta operación envía el siguiente mensaje **json** :

```
<HTTPMessage xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:s="http://www.w3.org/2001/XMLSchema">
<Stream>
{ "resourceType":"Bundle", "id":"ec5ffdbe-3739-47e6-81e4-2b0498e99fb8", "meta":[ {
"lastUpdated":"2020-09-20T15:04:17.764+02:00" }], "type":"searchset", "total":"1", "link":[ { "relation":"self",
"url":"https: // //xxx:5665 //api //fhir //DSTU3 //CarePlan?encounter=861241" }], "entry":[ {
"fullUrl":"https: // //xxx:5665 //api //fhir //DSTU3 //CarePlan //23104", "resource":[ { "resourceType":"CarePlan",
"id":"23104", "identifier":[ { "system":"urn:hcis:mrns", "value":"23104" } ] }, "addresses":[ {
"reference":"Condition //76741" } ], "subject":[ { "reference":"Patient //10055765" } ] } ] }
</Stream><Type>
CG
</Type>
</HTTPMessage>
```

Lo envío al mismo namespace (localhost: 9980) a un servicio con la clase EnsLib.REST.GenericService. Cuando recibo, el flujo de mensajes está vacío. ¿Por qué?

```
<HTTPMessage xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:s="http://www.w3.org/2001/XMLSchema">
<Stream></Stream>
<Type>BG</Type>
<HTTPHeaders><HTTPHeadersItem HTTPHeadersKey="CONTENT-LENGTH">0</HTTPHeadersItem><HTTPHeadersItem HTTPHeadersKey="CONTENT-TYPE">text/plain; charset="UTF-8"
</HTTPHeadersItem><HTTPHeadersItem HTTPHeadersKey="StatusLine">HTTP/1.1 500 Internal Server Error</HTTPHeadersItem></HTTPHeaders>
</HTTPMessage>
```

[#Caché](#)

URL de fuente: <https://es.community.intersystems.com/post/httpmessage-valor-vac%C3%ADo-en-stream>