


Anuncio

[Jose-Tomas Salvador](#) · 23 nov, 2020

[Open Exchange](#)

DBeaver soporta oficialmente InterSystems IRIS

Estamos encantados de anunciar que DBeaver soporta InterSystems IRIS con la configuración predeterminada desde la versión 7.2.4. Ya no necesitas configurarlo manualmente, solo busca el icono de IRIS en la "Connections list".



Todos los campos necesarios ya están completados. Pero no te olvides de introducir tu nombre de usuario y password.

Connect to database

Generic JDBC Connection Settings
InterSystems IRIS connection settings

Driver properties | SSH | Proxy

General

JDBC URL:

Host: Port:

Database/Schema:

Authentication (Database Native)

Username:

Password: ☒ Save password locally

i You can use variables in connection parameters. [Connection details \(name, type, ...\)](#)

Driver name: [Edit Driver Settings](#)

[Test Connection ...](#) [< Back](#) [Next >](#) [Cancel](#) [Finish](#)

Por defecto, el driver de InterSystems IRIS no está incluido en DBeaver. Para la primera conexión, DBeaver sugiere descargar el driver del repositorio oficial de InterSystems en GitHub. Este driver se usará para todas las conexiones siguientes.

Driver settings

Download driver files


Download InterSystems IRIS driver files

InterSystems IRIS driver files are missing.
These files can be downloaded automatically.

☐ Force download / overwrite

Files required by driver

File

 <https://github.com/intersystems-community/iris-driver-distribution/raw/main/intersystems-jdbc-3.1.0.jar>

You can change driver version by clicking on version column.
Then you can choose one of the available versions.

Or you can obtain driver files by yourself and add them in driver editor.

[Vendor website](#)
[Download configuration](#)

Edit Driver

Cancel

Download

La versión actual no contiene las características específicas de IRIS, pero todas las funciones principales de DBEaver funcionarán para tu base de datos. Si consideras que puede ser importante añadir algo más, háznoslo saber.

DBEaver 7.2.5 - Country

Database Navigator

HoleFoods

Tables

Country

Columns

ID (BIGINT)

Name (VARCHAR(90))

Region (BIGINT)

Keys

Foreign Keys

Indexes

References

Outlet

Columns

Keys

Foreign Keys

Indexes

References

Product

Region

SalesTransaction

Views

Indexes

Procedures

Country_Extnt

Outlet_Extnt

Product_Extnt

Region_Extnt

Transaction_Extnt

Data Types

HoleFoods_BudgetCube

HoleFoods_Cube

INFORMATION_SCHEMA

Country

Properties

Data

ER Diagram

Country

Enter a SQL expression to filter results (use Ctrl+Space)

Grid

ID	Name	Region
1	China	1
2	India	1
3	Japan	1
4	Belgium	2
5	England	2
6	France	2
7	Germany	2
8	Italy	2
9	Netherlands	2
10	Spain	2
11	Canada	3
12	USA	3
13	Brasil	4
14	Chile	4

Value

Dictionary (Region): (Define Description)

Value	Description
1	Asia
2	Europe
3	N. America
4	S. America

Type part of dictionary value to search

[#Entorno de desarrollo](#) [#Herramientas](#) [#SQL](#) [#InterSystems IRIS](#)
[Ir a la aplicación en InterSystems Open Exchange](#)

URL de fuente: <https://es.community.intersystems.com/post/dbeaver-soporta-oficialmente-intersystems-iris>