

---

Pregunta

[Yone Moreno](#) · 14 oct, 2021

## ¿Cómo podríamos usar MTOM para enviar un zip con un csv adentro?

En primer lugar, gracias por su tiempo leyendo esta pregunta y gracias por su ayuda.

Tenemos el siguiente caso de uso: necesitaríamos enviar con MTOM un zip que contenga un csv


Hemos leído, investigado, indagado:

<https://docs.intersystems.com/irislatest/csp/docbook/DocBook.UI.Page.cls...>

<https://docs.intersystems.com/irislatest/csp/docbook/DocBook.UI.Page.cls...>

<https://docs.intersystems.com/irislatest/csp/docbook/DocBook.UI.Page.cls...>

Necesitaríamos replicar cómo SOAPUI envía un zip con un csv como archivo adjunto en una solicitud SOAP, empleando Ensemble



The screenshot shows the SoapUI interface. The top pane displays an XML request in the 'Raw' tab. The XML is a SOAP envelope containing a header and a body. The body contains a 'CargarFicheroVacuRequest' element, which includes a 'fic:fichero' element with the value 'cid:application.zip', a 'fic:ccaald' element with the value '01', and a 'fic:tipoFichero' element with the value '1'.

The bottom pane shows a table of attachments. The table has the following columns: Name, Content type, Size, Part, Type, ContentID, and Cached. There is one attachment listed: 'application.zip' with content type 'application/zip', size 340, part 'application.zip', type 'XOP', content ID 'application.zip', and is cached (checked).

Name	Content type	Size	Part	Type	ContentID	Cached
application.zip	application/zip	340	application.zip	XOP	application.zip	<input checked="" type="checkbox"/>

At the bottom of the interface, there are tabs for 'Auth', 'Headers (0)', 'Attachments (1)', 'WS-A', 'WS-RM', 'JMS Headers', and 'JMS Properties (0)'. Below these tabs is a log area with links for 'SoapUI log', 'http log', 'jetty log', 'error log', 'wsrm log', and 'memory log'.

Siendo la petición raw de la siguiente manera:

Published on InterSystems Developer Community (<https://community.intersystems.com>)

¿Podrían ayudarnos o indicarnos la documentación necesaria, ejemplos de código o proyectos de Ensemble para estudiar, comprender y desarrollar este comportamiento?

¿Hay algunos ejemplos de código o documentación que nos pueda ayudar?

Gracias por su tiempo, respuestas y ayuda.

[#SOAP](#) [#Caché](#) [#Documentación](#) [#Ensemble](#)

\$ZV: Cache for UNIX (Red Hat Enterprise Linux for x86-64) 2017.2.1 (Build 801318358U) Tue Jul 24 2018 16:36:10 EDT

URL de  
fuente: <https://es.community.intersystems.com/post/%C2%BFc%C3%B3mo-podr%C3%ADamos-usar-mtom-para-enviar-un-zip-con-un-csv-adentro>